




32" SLIM Design Fanless Outdoor Signage



Specification

Model	NC-A24D-32OG
Screen	
Size	32 inch IPS
Tempered Glass	6mm Tempered Glass
Resolution	1920*1080
Backlight	LED
Brightness	2500 nit
Contrast	1200:1
Color	8 bits
Response Time	8 ms (typ.)
View Angle	178° / 178°
Backlight Lifetime	50,000 hrs (typ.)
Power	
Voltage	AC 100V ~ 240V, 50 Hz / 60 Hz
Power Consumption	120W (max)
I/O Ports	
Port	USB 3.0*2 / HDMI Out*1 / RJ45*1
Speaker	Built-in 8Ω10W*2
System Configuration	
CPU	Celeron J6412 (Quad-core, 1.5M Cache up to 2.60 GHz)
Memory	8GB DDR3
Storage	128GB
Operating System	Windows 10 Pro
Wireless	Dual Band Wi-Fi, Bluetooth 4.0
Environmental Conditions	
Working Temperature	-20° C ~ 60° C
Storage Temperature	-10° C ~ 60° C
Humidity	10% ~ 80% (No Condensation)
Appearance	
Color	Black
Material	Metal
Wall-Mounted Product Dimensions	750.8 *445.4*85mm (L x H x W)
Wall-Mounted Packaging Dimensions	880*200*580mm (L x H x W)
Wall-Mounted Net Weight	16.45kg
Wall-Mounted Gross Weight	35kg
Standee Product Dimensions	1728.5 *445.4*120mm (L x H x W)
Standee Packaging Dimensions	900*200*500mm (L x H x W)
Standee Packaging Dimensions	18kg
Standee Net Weight	24kg
Accessories	
Power cable, Wall mount bracket, Floor stand, Screws, Wrench	

Size



Installation Options

Wall mount or bracket stand.



We welcome inquiries and cooperation from decoration companies, designers, dealers, and system integrators.



<https://mysmartscheduler.com/>

sales@nugestech.com